## Please amend the claims as follows

5b7

(<u>Currently amended</u>) Computer apparatus for use in accessing and organising information sources, comprising:

an interface generating module having a graphical user interface functionality adapted for generating a graphical output on a display, the graphical output depicting a plurality of nodes;

a node arrangement software module responsive to information reflecting the relationship between said nodes adapted for arranging said nodes in a graphic representation of three dimensional space, the location of said nodes in said three dimensional space indicating relationships therebetween;

wherein at least one node comprises a link to an information source;

said information source being accessible by selection of said link responsive to user interaction with an input device;

said three dimensional space being arranged with three axes including a first axis, a second, different, axis and a third, different, axis wherein said first, second and third axis are orthogonal each other and said first axis lies parallel to a plane of the display;

wherein said relationships between said nodes include a hierarchical relationship having a plurality of levels;

wherein the levels are sequentially spaced along the first axis; and.

wherein the nodes of one level are represented in arrangements which are spaced along both the second and the third axis.

AT

- (Original) The computer apparatus of Claim 1 wherein a relationship between at least two nodes is depicted by the relative positioning of the nodes.
- 3. (Original) The computer apparatus of Claim 1 wherein the interface generating module is adapted for displaying a representation of a three dimensional space comprising nodes having three dimensional co-ordinates associated therewith.
- 4. (Original) The computer apparatus of Claim 3 which maintains a user viewpoint within the three dimensional space and calculates graphical images as if the user were located at the user viewpoint within the three dimensional space.
- 5. (Original) The computer apparatus of Claim 3 further comprising a sound generation module, the sound generation module producing a sound depending on the location in the three dimensional space relative to the user viewpoint of nodes which link to sound information sources.
- 6. (Original) The computer apparatus of Claim 1 wherein at least one node comprises a link to an application and selection of said link activates said application.
- 7. (Original) The computer apparatus of Claim 1 comprising user interface software module having a graphical user interface functionality adapted for enabling a user to perform an action selected from the list consisting of: creation of a link, creation of a node, moving of a link, moving of a node, altering of a node and altering of a link.
- 8. (Original) The computer apparatus of Claim 1 comprising user interface software module having a graphical user interface functionality adapted for specifying the relationship between nodes.

Al

- (Original) The computer apparatus of Claim 1 wherein the visual or aural appearance of a node reflects -properties of the node or its information sources.
- 10. (Original) The computer apparatus of Claim 9 wherein the properties of the node or its information sources are selected from a list consisting of: age, ownership, importance, age of node, results of a query, frequency of use, size, type, speed of link to information source, location of information source.
- 11. (Original) The computer apparatus of Claim 1 wherein the appearance of a node is altered by dynamically varying the visual or aural properties or position of the node.
- 12. (Original) The computer apparatus of Claim 1 wherein the same node or information source appears more than once within the three dimensional space.
- 13. (Original) The computer apparatus of Claim 1 adapted to highlight multiple instances of the same node or information source in response to selection of a node.
- 14. (Original) The computer apparatus of Claim 1 adapted to prepare a plurality of nodes from a hierarchical filing system.
- 15. (Original) The computer apparatus of Claim adapted to automatically link information received, sent or newly created to a node.
- 16. (Original) The computer apparatus of Claim 15 wherein a new node is created upon receiving, sending or creating information.
- 17. (Original) The computer apparatus of claim 15 wherein information is received, sent or newly created in the form of a message.

Jr. t

- (Original) The computer apparatus of Claim 17 wherein said message is an e-mail message.
- 19. (Currently amended) The computer apparatus of Claim 1 wherein at least one information source further comprises a link to information concerning the node.
- 20. (Original) The computer apparatus of Claim 1 wherein the graphical user interface functions as a computer desktop.
- 21. (Currently amended) A method of controlling a graphical user interface comprising the steps of:

maintaining a database of nodes and relationships between said nodes, wherein at least one node comprises a link to an information source;

creating a data structure comprising a model of said nodes arranged in three dimensional space in a manner depending on the relationship between said nodes; and

causing a graphic display program to prepare a visual display corresponding to said data structure,

said three dimensional space being arranged with three axes including a first axis, a second, different, axis and a third, different axis wherein said first, second and third axis are orthogonal each other and said first axis lies parallel to a plane of the display screen;

wherein said relationships between said nodes include a hierarchical relationship having a plurality of levels;

wherein the levels are sequentially spaced along the first axis and,

Al t

wherein the nodes of one level are represented in arrangements which are spaced along both the second and the third axis.

- 22. (Original) The method of Claim 21 wherein a relationship between at least two nodes is depicted by the relative positioning of the nodes.
- 23. (Original) The method of Claim 21 wherein the graphic display program displays a representation of a three dimensional space with reference to three dimensional co-ordinates associated with each node.
- 24. (Original) The method of Claim 23 further comprising the step of maintaining a user viewpoint within the three dimensional space and calculating graphical images as if the user were located at the user viewpoint within the three dimensional space.
- 25. (Original) The method of Claim 23 further comprising the step of generating sound using a sound generation module, wherein the sound generated depends on the location in the three dimensional space relative to the user viewpoint of nodes which link to sound information sources.
- 26. (Original) The method of Claim 21 wherein one or more nodes comprise a link to an application and selection of said link activates said application.
- 27. (Original) The method of Claim 21 wherein a user can perform an action by use of a user interface, the action being selected from the list consisting of: creation of a link, creation of a node,- moving of a link, moving of a node, altering of a node and altering of a link.
- 28. (Currently amended) The method of Claim 2) wherein user interface may be is used to specify the relationship between nodes.

Al de

- (Original) The method of Claim 21 wherein the visual or aural appearance of a node depends on properties of the node or information sources.
- 30. (Original) The method of Claim 29 wherein the properties of the node or its information sources are selected from a list consisting of: age, ownership, importance, age of node, results of a query, frequency of use, size, type, speed of link to information source, location of information source.
- 31. (Original) The method of Claim 21 wherein the visual appearance of a node is altered by dynamically varying the visual or aural properties or position of the node.
- 32. (Original) The method of Claim 21 wherein the same node or information source appears more than once within the three dimensional space.
- 33. (Original) The method of Claim 21 further comprising the step of highlighting multiple instances of the same node or information source in response to selection of a node.
- 34. (Original) The method of Claim 21 further comprising the step of preparing a plurality of nodes from a hierarchical filing system.
- 35. (Original) The method of Claim 2) further comprising the step of automatically linking information received, sent or newly created to a node.
- 36. (Original) The method of Claim 35 wherein a new node is created upon receiving, sending or creating information.
- 37. (Original) The method of claim 35 wherein information is received, sent or newly created in the form of a message.

Al A

- (Original) The method of Claim 37 wherein a message is an e-mail.
- 39. \(\(\frac{\text{(Original)}}{\text{further comprises information concerning the node.}\)
- 40. (Ohiginal) The method of Claim 21 wherein the graphical user interface functions as a computer desktop.
- 41. (Original) A computer program comprising program instructions which, when loaded into a computer, will cause it to perform as the computer apparatus of Claim 1.
- 42. (Original) A computer program comprising program instructions which, when loaded into a computer, will cause it to carry out the method of Claim 21.
- 43. (Original) A computer readable media comprising the computer program of Claim
  41.
- 44. (Original) A computer readable media comprising the computer program of Claim 42.
- 45. (Currently amended) Computer apparatus for use in accessing and organising information sources, comprising:

means for generating a graphical output on a display, the graphical output depicting a plurality of nodes;

means for arranging said nodes in a graphic representation of three dimensional space, the location of said nodes in said three dimensional space indicating relationships between said nodes;

All t

wherein at least one node comprises a link to an information source;

said information source being accessible by selection of said link responsive to user interaction with an input device;

said three dimensional space being arranged with three axes including a first axis, a second, different, axis and a third, different, axis wherein said first, second and third axis are orthogonal each other and said first axis lies parallel to a plane of the display screen;

wherein said relationships between said nodes include a hierarchical relationship having a plurality of levels;

wherein the levels are sequentially spaced along the first axis; and,
wherein the nodes of one level are represented in arrangements which are
spaced along both the second and the third axis.

Amel